# INDEX TO VOLUME 29

## AUTHORS INDEX*

In this index, following the author's name, the title of the subject is given as it appeared in the JOURNAL. Editorials are also included in the list and are indicated by (*E.*).


A

ALFORD, CRANDALL. (*See* Klopp, Alford, and Pierpont), 231

ALLAM, MARK W. (*See* Johnson, Kirby, Allam, and Hagan), 721

—. (*See* Johnson, Kirby, Allam, and Hagan), 726

ANSCHUETZ, ROBERT R. The management of familial polyposis of the colon, 532

ARHELGER, STUART W. The advantages of tracheotomy and the use of a new tracheal tube in the management of intratracheal aspiration, 260

B

BABA, MASAKO AKIMOTO. (*See* Nelson, Baba, and Burden), 452

BACON, HARRY E., LAURENS, JOHN, AND PEALE, AUGUSTIN R. Histopathology of adenomatous polyps of the colon and rectum, 663

BALFOUR, DONALD C., JR., BOLLMAN, JESSE L., AND GRINDLAY, JOHN H. Intestinal lymph flow following simple intestinal obstruction in the rat, 500

BANKS, CATHERINE. (*See* Felder, Linton, Todd, and Banks), 803

BARBERIO, J. ROLAND. (*See* LeVeen, Franklin, and Barberio), 743

BARGER, A. C. (*See* Hufnagel, Roe, and Barger), 77

BARONOFSKY, IVAN D., WALTON, WILLIAM, AND NOBLE, JOHN F. Occult injury to the pancreas following splenectomy, 852

BARTLETT, WAYNE C., AND SHELLITO, JOHN G. Hamartoma of the liver, 593

BAUERSFELD, RICHARD S. (*See* Veal, Dugan, Jamison, and Bauersfeld), 355

BAUM, GERALD L. (*See* Grollman, Baum, Moss, and Goodman), 163

BEHREND, ALBERT, AND KRAVITZ, CHARLES H. Sarcoma arising in a bronchiogenic cyst, 142

BENNER, WILLIAM H. Diagnostic morphology of aberrant pancreas of the stomach, 170

BERGLUND, ELDON, AND EDER, W. P. A surgical approach to atelectasis of the newborn infant, 127

BIGGER, I. A. (*See* Bosher, Smith, Lemmer, and Bigger), 560

BLAIN, ALEXANDER III, COLLER, FREDERICK A., AND CARVER, GORDON B. Raynaud's disease, 387

BLOCKER, T. G., JR. Newer concepts in the treatment of severe extensive burns, 154

BOLLMAN, JESSE L. (*See* Balfour, Bollman, and Grindlay), 500

BONZER, JOHN. (*See* Helsper and Bonzer), 131

BOSHER, LEWIS H., JR., SMITH, DAVID E., LEMMER, RICHARD A., AND BIGGER, I. A. Experimental arteriovenous fistula: histologic changes in the small collateral arteries, 560

BOSWORTH, BOARDMAN M., AND LANDAU, FREDERICK L. Solitary diverticulum of the ascending colon, 523

BOWERS, WARNER F., AND MERCHANT, FREDERICK T. The physician's professional status in Army medicine, 602 (*E.*)

BOWMAN, M. BERRY. Synovioma of the foot, 145

BRAV, ERNEST A., AND GULLEDGE, WILLIAM H. Impressions concerning the Putti-Platt reconstruction operation for recurrent shoulder dislocation, 82

BROWN, CRAWFORD S., AND HARDENBERGH, ESTHER. A technique for sampling lymph in unanesthetized dogs by means of an exteriorized thoracic duct-venous shunt, 502

BROWN, KENT LOUIS. (*See* Kay and Brown), 658

BURDEN, HAROLD G. (*See* Nelson, Baba, and Burden), 452

BURTON, CLAUD C. The use of the iliopsoas muscle and autogenous fascias in the repair of certain inguinal and femoral hernias, 858

C

CARVER, GORDON B. (*See* Blain, Coller, and Carver), 387

CHAMNESS, JAMES T. (*See* Decker and Chamness), 731

COLEMAN, CLAUDE C., JR. (*See* Deterling, Coleman, and Parshley), 419

COLLER, FREDERICK A. (*See* Blain, Coller, and Carver), 387

CONROY, CONDE F., AND WOELFEL, GEORGE F. Annular pancreas, 902


*January, pp. 1-162; February, pp. 163-322; March, pp. 323-482; April, pp. 483-642; May, pp. 643-802; June, pp. 803-970.

COOPER, F. W., JR. (*See* Elkin and Cooper), 323

CRAIG, ALBERT B., JR., AND SCHILLING, JOHN A. Pheochromocytoma, 596

CRILE, GEORGE, JR., AND KING, DON E. Successful use of tantalum mesh to repair an abdominal wall defect in the presence of massive fecal contamination, 914

—, AND THOMAS, C. Y. III. Skin graft for prolapse of ileostomy, 473

CURTIS, GEORGE M. (*See* Klassen, Morton, and Curtis), 483

D

DAVID, CARL B., JR., FELL, EGBERT H., AND GASUL, BENJAMIN J. Patent ductus arteriosus: recurrence following ligation, 714

DEBAKEY, MICHAEL E. (*See* Ochsner, DeBakey, and DeCamp), 24

DECAMP, PAUL T. (*See* Ochsner, DeBakey, and DeCamp), 24

—, SCHRAMEL, ROBERT J., RAY, CHARLES JOHN, FEIBLEMAN, N. DONALD, WARD, JAMES A., AND OCHSNER, ALTON. Ambulatory venous pressure determinations in postphlebitic and related syndromes, 44

—, WARD, JAMES A., AND OCHSNER, ALTON. Ambulatory venous pressure studies in postphlebitic and other disease states, 365

DECKER, ALFRED M., AND CHAMNESS, JAMES T. Melanocarcinoma of the plantar surface of the foot, 731

DENNIS, CLARENCE. (*See* Karlson, Dennis, Westover, and Sanderson), 678

—, KARLSON, KARL E., EDER, WALTER P., NELSON, RUSSELL M., EDDY, FRANK D., AND SANDERSON, DAVID. Pump-oxygenator to supplant the heart and lungs for brief periods. II. A method applicable to dogs, 697

DE TAKATS, G., AND GRAUPNER, G. W. Division of the popliteal vein in deep venous insufficiency of the lower extremities, 342

DETERLING, RALPH A., JR., COLEMAN, CLAUDE C., JR., AND PARSHLEY, MARY S. Experimental studies of the frozen homologous aortic graft, 419

DILEO, J. H. (*See* Shepard, Strug, and DiLeo), 205

DOCKERTY, MALCOLM B. (*See* Scandalis, Ghormley, and Dockerty), 255

DONALDSON, GORDON A. (*See* O'Keeffe, Warren, and Donaldson), 267

DREY, N. W. (*See* Middleman and Drey), 890

DUGAN, THOMAS J. (*See* Veal, Dugan, Jamison, and Bauersfeld), 355

DUNAVANT, DAVID, AND SKINNER, EDWARD F. Spontaneous rupture of the esophagus, 527

E

ECKMAN, WILLIAM G., JR. (*See* Swartz and Eckman), 581

EDDY, FRANK D. Late results of vagotomy in the treatment of idiopathic ulcerative colitis and regional enteritis, 11

—. (*See* Dennis, Karlson, Eder, Nelson, Eddy, and Sanderson), 697

EDER, WALTER P. (*See* Berglund and Eder), 127

—. (*See* Dennis, Karlson, Eder, Nelson, Eddy, and Sanderson), 697

ELKIN, DANIEL C., AND COOPER, F. W., JR. The effect of vasodilator drugs on the circulation of the extremities, 323

EMERSON, EDWARD C., AND MULLER, JOHN J. Treatment of varicose veins with a flexible stripper, 71

ERB, WILLIAM H., AND SCHUMANN, FRANCIS. An appraisal of bilateral superficial femoral vein ligation in preventing pulmonary embolism, 819

F

FAWCETT, BLAKE. The relation of the factor of growth to the pathogenesis of megacolon, megaileum, and megaduodenum, 491

FEIBLEMAN, N. DONALD. (*See* DeCamp, Schramel, Ray, Feibleman, Ward, and Ochsner), 44

FELDER, DAVITT A., LINTON, ROBERT R., TODD, DONALD P., AND BANKS, CATHERINE. Changes in the sympathectomized extremity with anesthesia, 803

FELL, EGBERT H. (*See* Davis, Fell, and Gasul), 714

FINDLAY, CHARLES W., JR., AND MAIER, HERBERT C. Anomalies of the pulmonary vessels and their surgical significance, 604

FRACCHIA, ALFRED A. (*See* Parnes and Fracchia), 475

FRANKLIN, EDWARD. (*See* LeVeen, Franklin, and Barberio), 743

G

GALANTE, MAURICE. (*See* Harper, Gardner, Johansen, Galante, and McCorkle), 210

GARDNER, RICHARD E. (*See* Harper, Gardner, Johansen, Galante, and McCorkle), 210

GARLICK, WILLIAM L., AND STEGMAIER, JAMES G. Benign tumors of the esophagus, 109

GARLOCK, JOHN H., AND HURWITT, ELLIOTT S. The cystic duct stump syndrome, 833

—. (*See* Lyons and Garlock), 281

GARNES, ARTHUR L. (*See* Wright, Tamerin, Metzger, and Garnes), 763

GASUL, BENJAMIN J. (*See* Davis, Fell, and Gasul), 714
GERBODE, FRANK. Horizon in surgery, 153 (*E.*)
—, AND HULTGREN, HERBERT. A method of producing coarctation of the aorta in the growing animal, 441
GHORMLEY, RALPH K. (*See* Scandalis, Ghormley, and Dockerty), 255
GLOVER, DONALD M. (*See* Holmberg and Glover), 240
GOLDFARB, ALVIN, AND ZUCKNER, J. Acute suppurative appendicitis with perforation resulting from metastatic carcinoma, 137
GOODMAN, SANDER. (*See* Grollman, Baum, Moss, and Goodman), 163
GORDON, JULES D., AND PALEY, DAVID H. Primary malignant tumors of the spleen, 907
GRAUPNER, G. W. (*See* de Takats and Graupner), 342
GRILLO, H. C. (*See* Simeone, Grillo, and Rundle), 932
GRINDLAY, JOHN H. (*See* Balfour, Bollman, and Grindlay), 500
GRISE, RICHARD FINLEY, AND MORTON, CHARLES BRUCE. Acute abdominal symptoms from the bleeding ovary, 117
GROFF, ROBERT A. (*See* Shenkin and Groff), 540
GROLLMAN, AARON I., BAUM, GERALD L., MOSS, HAROLD K., AND GOODMAN, SANDER. Acute pancreatitis with particular reference to its frequency and difficulties in diagnosis, 163
GULLEDGE, WILLIAM H. (*See* Brav and Gulledge), 82
GUSTAFSON, JACK R. Acute parotitis, 786

H

HAGAN, WILLIAM. (*See* Johnson, Kirby, Allam, and Hagan), 721
—. (*See* Johnson, Kirby, Allam, and Hagan), 726
HARDENBERGH, ESTHER. (*See* Brown and Hardenbergh), 502
HARDY, JAMES D. The adrenal cortex and postoperative gastrointestinal secretions, 517
HARPER, HAROLD A., GARDNER, RICHARD E., JOHANSEN, ROBERT, GALANTE, MAURICE, AND MCCORKLE, H. J. Amino acid tolerance in experimental portacaval anastomosis, 210
HAWTHORNE, H. R. (*See* Nemir, Hawthorne, and Lecrone), 508
HAY, ELLIOTT B. The effect of intravenous sodium dehydrocholate on the mortality rate following hemorrhagic shock, 829
—, AND WEBB, JOHN K. The effect of increased arterial blood flow to the liver on the mortality rate following hemorrhagic shock, 826
HEALY, MARTIN J., JR. Anatomic sketches photographed on translite film, 568
HELSPER, JAMES, AND BONZER, JOHN. Aerobacter aerogenes meningitis successfully treated with streptomycin, 131
HENDRICKS, W. CRAIG. (*See* Kutz and Hendricks), 271
HINES, MERRILL O., AND RIDDLER, JOHN G. Unusual lesions of the rectum and anus, 496
HOLLENBERG, HENRY G. (*See* Kahn and Hollenberg), 477
HOLMBERG, ROBERT E., AND GLOVER, DONALD M. Papillary cystadenoma lymphomatosum of the parotid gland, 240
HORN, ROBERT C., JR. (*See* Morris and Horn), 223
HOWE, CHESTER W. Invasive infection due to the genus pseudomonas, 748
HUFNAGEL, C. A., ROE, B. B., AND BARGER, A. C. A technique for producing pulmonary artery stenosis, 77
HULTGREN, HERBERT. (*See* Gerbode and Hultgren), 441
HURWITT, ELLIOTT S. (*See* Garlock and Hurwitt), 833
HURWITZ, ALFRED. An original drainage apparatus for ileostomies and fistulas, 463

I

IVINS, JOHN C. (*See* Janes and Ivins), 398

J

JAMISON, WILLIAM L. (*See* Veal, Dugan, Jamison, and Bauersfeld), 355
JANES, JOSEPH M., AND IVINS, JOHN C. A method of dealing with arteriosclerotic popliteal aneurysms, 398
JENSEN, MARSHALL N. Multiple polyposis of the small and large intestines, with multiple intussusception, 772
JOHANSEN, ROBERT. (*See* Harper, Gardner, Johansen, Galante, and McCorkle), 210
JOHNSON, JULIAN, KIRBY, CHARLES K., ALLAM, MARK W., AND HAGAN, WILLIAM. The growth of vascular anastomoses with continuous posterior and interrupted anterior silk sutures, 721
—, —, —, —. The growth of vena cava and aorta grafts, 726
JOHNSTON, J. HARVEY, JR., AND TWENTE, GEORGE E. Esophageal achalasia (cardiospasm), 196

K

KAHLE, H. REICHARD. Intussusception in children under two years of age, 182
KAHN, ALFRED, JR., AND HOLLENBERG, HENRY G. Unexplained gastrointestinal bleeding due to a benign tumor of the small intestine, 477

KARLSON, KARL E., DENNIS, CLARENCE, WESTOVER, DARRELL, AND SANDERSON, DAVID. Pump-oxygenator to supplant the heart and lungs for brief periods. I. Evaluation of oxygenator techniques; an efficient oxygenator, 678

—. (*See* Dennis, Karlson, Eder, Nelson, Eddy, and Sanderson), 697

KAUNITZ, VICTOR H., AND MACCALLUM, JAMES D. Acute cardiac tamponade, 293

KAY, EARLE B., AND BROWN, KENT LOUIS. Partial esophagectomy with end-to-end anastomosis, 658

KEY, J. ALBERT. (*See* Oliver and Key), 587

KING, DON E. (*See* Crile and King), 914

KING, WALTER B. (*See* Singleton and King), 278

KIRBY, CHARLES K. (*See* Johnson, Kirby, Allam, and Hagan), 721

—. (*See* Johnson, Kirby, Allam, and Hagan), 726

—. (*See* Ravdin and Kirby), 334

KITTLE, C. FREDERICK. (*See* Shafer and Kittle), 1

KLASSEN, KARL P., MORTON, DOUGLAS R., AND CURTIS, GEORGE M. The clinical physiology of the human bronchi. III. The effect of vagus section on the cough reflex, bronchial caliber, and clearance of bronchial secretions, 483

KLEINSASSER, LEROY J. The repair of pararectus incisional hernias by posterior transposition of the anterior rectus sheath, 97

KLOPP, CALVIN T., ALFORD, CRANDALL, AND PIERPONT, HOWARD. The use of polyethylene film and split-thickness skin graft in reconstruction of cervical, esophageal, and pharyngeal defects, 231

KRAVITZ, CHARLES H. (*See* Behrend and Kravitz), 142

KREUTZER, F. L. Cutaneous amebiasis, 149

KRUEGER, FREDERICK J. (*See* Michele and Krueger), 555

KUTZ, CHARLES M., AND HENDRICKS, W. CRAIG. New vein stripper and technique of stripping, 271

L

LANDAU, FREDERICK L. (*See* Bosworth and Landau), 523

LAURENS, JOHN. (*See* Bacon, Laurens, and Peale), 663

LECRONE, B. S. (*See* Nemir, Hawthorne, and Lecrone), 508

LEMMER, RICHARD A. (*See* Bosher, Smith, Lemmer, and Bigger), 560

LEVEEN, HARRY H., FRANKLIN, EDWARD, AND BARBERIO, J. ROLAND. The use of hyaluronic acid for fixation of skin grafts, 743

LEWISOHN, RICHARD. Proper evaluation of mortality statistics following partial gastrectomy for duodenal ulcer, 303 (*E.*)

LINTON, ROBERT R. (*See* Felder, Linton, Todd, and Banks), 803.

LOOKANOFF, VICTOR A. (*See* Witter and Lookanoff), 895

LORD, JERE W., JR. The surgical management of secondary hypersplenism, 407

LOTTES, J. OTTO. Treatment of fractures of the femur with a heavy, large cored, three-flanged medullary nail, 868

LUKE, JOSEPHUS C. The deep vein valves, 381

LYONS, ALBERT S., AND GARLOCK, JOHN H. Leiomyosarcoma of the esophagus, 281

M

MACCALLUM, JAMES D. (*See* Kaunitz and MacCallum), 293

MAIER, HERBERT C. (*See* Findlay and Maier), 604

MAISEL, BERNARD, AND WEINTRAUB, SIDNEY. Prolapsing gastric mucosa through gastrojejunostomy simulating cancer of the stomach, 777

MATTICK, WALTER L., AND MEEHAN, DONALD J. Carcinoma of the gum, 249

MAZET, ROBERT, JR. Vertebral manifestations of malignant lymphoma, myeloid leucemia, and multiple myeloma, 545

MCCORKLE, H. J. (*See* Harper, Gardner, Johansen, Galante, and McCorkle), 210

MCLAURIN, ROBERT. (*See* Scoville and McLaurin), 136

MEEHAN, DONALD J. (*See* Mattick and Meehan), 249

MERCHANT, FREDERICK T. (*See* Bowers and Merchant), 602 (*E.*)

METZGER, WILLIAM I. (*See* Wright, Tamerin, Metzger, and Garnes), 763

MICHELE, ARTHUR A., AND KRUEGER, FREDERICK J. Tenodesis of biceps tendons, 555

MIDDLEMAN, I. C., AND DREY, N. W. Cellophane wrapping of an abdominal aortic aneurysm, 890

MIGLIACCIO, ANTHONY V., AND RICCI, EDUARDO A. Surgical treatment of varicose veins associated with subcutaneous fibrosis, 811

MORRIS, GEORGE C., JR., AND HORN, ROBERT C., JR. Malignant melanoma in the Negro, 223

MORROW, ANDREW G. The use of tantalum gauze in the closure of a defect in the chest wall, 288

MORTON, CHARLES BRUCE. (*See* Grise and Morton), 117

MORTON, DOUGLAS R. (*See* Klassen, Morton, and Curtis), 483

MOSS, HAROLD K. (*See* Grollman, Baum, Moss, and Goodman), 163
MULLER, JOHN J. (*See* Emerson and Muller), 71
MULLER, WILLIAM H., JR. A transsternal approach for exposure of the anterior mediastinum, 885

N

NELSON, CLARENCE E., BABA, MASAKO AKIMOTO, AND BURDEN, HAROLD G. Cardiac massage in operating room deaths, 452
NELSON, RUSSELL M. (*See* Dennis, Karlson, Eder, Nelson, Eddy, and Sanderson), 697
NEMIR, PAUL, JR., HAWTHORNE, H. R., AND LECRONE, B. S. Prolongation of life by employment of parenteral alimentation, 508
NOBLE, JOHN F. (*See* Baronofsky, Walton, and Noble), 852

O

OCHSNER, ALTON, DEBAKEY, MICHAEL E., AND DECAMP, PAUL T. Venous thrombosis, 24
—. (*See* DeCamp, Schramel, Ray, Feibleman, Ward, and Ochsner), 44
—. (*See* DeCamp, Ward, and Ochsner), 365
—. (*See* Woodhall and Ochsner), 305
O'KEEFFE, ARTHUR F., WARREN, RICHARD, AND DONALDSON, GORDON A. Venous circulation in lower extremities following femoral vein interruption, 267
OLIVER, DAVID R., AND KEY, J. ALBERT. Treatment of tuberculosis of the sternum by local excision, 587

P

PACK, GEORGE T. Argument for bilateral mastectomy, 929 (*E.*)
PALEY, DAVID H. (*See* Gordon and Paley), 907
PARNES, IRVING H., AND FRACCHIA, ALFRED A. Traumatic perforation of the rectosigmoid colon, 475
PARSHLEY, MARY S. (*See* Deterling, Coleman, and Parshley), 419
PEALE, AUGUSTIN R. (*See* Bacon, Laurens, and Peale), 663
PELTIER, LEONARD F. Theoretical hazards in the treatment of pathologic fractures by the Kuntscher intramedullary nail, 466
PERLOFF, WILLIAN H., AND SCHNEEBERG, NORMAN G. The problem of thyroid carcinoma, 572
PIERPONT, HOWARD. (*See* Klopp, Alford, and Pierpont), 231

R

RAVDIN, I. S., AND KIRBY, CHARLES K. Experiences with ligation and heparin in thromboembolic disease, 334
RAY, CHARLES JOHN. (*See* DeCamp, Schramel, Ray, Feibleman, Ward, and Ochsner), 44
RICCI, EDUARDO. (*See* Migliaccio and Ricci), 811
RIDDLER, JOHN G. (*See* Hines and Riddler), 496
ROE, B. B. (*See* Hufnagel, Roe, and Barger), 77
RUNDLE, F. (*See* Simeone, Grillo, and Rundle), 932

S

SANDERSON, DAVID. (*See* Dennis, Karlson, Eder, Nelson, Eddy, and Sanderson), 697
—. (*See* Karlson, Dennis, Westover, and Sanderson), 678
SCANDALIS, RICHARD, GHORMLEY, RALPH K., AND DOCKERTY, MALCOLM B. Arthrokatadysis (Otto pelvis), 255
SCHEIBE, JOHN R. An experimental method of repairing strictures involving the common hepatic bile duct at the hilus, 842
SCHILLING, JOHN A. (*See* Craig and Schilling), 596
SCHNEEBERG, NORMAN G. (*See* Perloff and Schneeberg), 572
SCHRAMEL, ROBERT J. (*See* DeCamp, Schramel, Ray, Feibleman, Ward, and Ochsner), 44
SCHUMANN, FRANCIS. (*See* Erb and Schumann), 819
SCOVILLE, WILLIAM BEECHER, AND MCLAURIN, ROBERT. Simplified approach to pituitary region by one and one-half inch trephine, 136
SHAFER, PAUL W., AND KITTLE, C. FREDERICK. The relation of the autonomic nervous system to gastric secretion with particular reference to the sympathetic nerves, 1
SHELLITO, JOHN G. (*See* Bartlett and Shellito), 593
SHENKIN, HENRY A., AND GROFF, ROBERT A. Herniations of the cervical intervertebral disc and scalenotomy, 540
SHEPARD, R. M., JR., STRUG, L. H., AND DILEO, J. H. Carcinoid tumors of the rectum, 205
SHUMACKER, HARRIS B., JR. Mobilization and the training of doctors, 480 (*E.*)
—, AND ZIPERMAN, H. HASKELL. A simply constructed abdominal support for postural hypotension, 124
SIMEONE, F. A., GRILLO, H. C., AND RUNDLE, F. On the question of ligation of the concomitant vein when a major artery is interrupted, 932
SINGLETON, A. O., JR., AND KING, WALTER B. Persistent vitelline duct continuous with the appendix, 278
SKINNER, EDWARD F. (*See* Dunavant and Skinner), 527

SMITH, DAVID E. (*See* Bosher, Smith, Lemmer, and Bigger), 560

SNEIERSON, HYMAN. A simple, safe method of cholecystectomy, 781

STABINS, SAMUEL J. A new surgical procedure for complete rectal prolapse in the mentally ill patient, 105

STAUSS, H. K. Osteogenic sarcoma arising in traumatic hemothorax and hematoma of the thoracic wall, 917

STEGMAIER, JAMES G. (*See* Garlick and Stegmaier), 109

STETTEN, DEWITT. (*See* Weinberger and Stetten), 217

STRUG, L. H. (*See* Shepard, Strug, and DiLeo), 205

SUGARBAKER, E. D., AND WILEY, H. M. Simultaneous tourniquet or temporary ligation of both external carotid arteries for resection of malignant lesions in and about the mouth, 296

SWARTZ, WILLIAM T., AND ECKMAN, WILLIAM G., Jr. A case report of leiomyosarcoma of the duodenum, 581

T

TAMERIN, JOSEPH A. (*See* Wright, Tamerin, Metzger, and Garnes), 763

THOMAS, C. Y. III. (*See* Crile and Thomas), 463

TODD, DONALD P. (*See* Felder, Linton, Todd, and Banks), 803

TWENTE, GEORGE E. (*See* Johnston and Twente), 196

V

VAN GEERTRUYDEN, J. J. Failure of a double jejunal lumen gastrojejunal anastomosis to protect against the histamine-provoked ulcer), 459

VAN HOOK, EMERY. (*See* Balfour, Grollman, and Grindlay), 500

VEAL, J. ROSS, DUGAN, THOMAS J., JAMISON, WILLIAM L., AND BAUERSFELD, RICHARD S. Acute massive venous occlusion of the lower extremities, 355

W

WALTON, WILLIAM. (*See* Baronofsky, Walton, and Noble), 852

WARD, JAMES A. (*See* DeCamp, Schramel, Ray, Feibleman, Ward, and Ochsner), 44

—. (*See* DeCamp, Ward, and Ochsner), 365

WARREN, KENNETH W. Acute pancreatitis and pancreatic injuries following subtotal gastrectomy, 643

WARREN, RICHARD. (*See* O'Keeffe, Warren, and Donaldson), 267

WEBB, ALEXANDER, JR. A simplified vein stripper, 276

WEBB, JOHN K. (*See* Hay and Webb), 826

WEINBERGER, HOWARD A., AND STETTEN, DEWITT. Extensive secondary axillary lymph node carcinoma without clinical evidence of primary breast lesion, 217

WEINTRAUB, SIDNEY. (*See* Maisel and Weintraub), 777

WELCH, KENNETH J. The use of a homograft in the surgical treatment of large omphaloceles, 100

WESTOVER, DARRELL. (*See* Karlson, Dennis, Westover, and Sanderson), 678

WILEY, H. M. (*See* Sugarbaker and Wiley), 296

WITTER, JOSEPH A., AND LOOKANOFF, VICTOR A. Massive hemorrhage as the first manifestation of diverticulum of the lower thoracic esophagus, 895

WOELFEL, GEORGE F. (*See* Conroy and Woelfel), 902

WOODHALL, J. P., AND OCHSNER, ALTON. The management of perforating injuries of the colon and rectum in civilian practice, 305

WRIGHT, LOUIS T., TAMERIN, JOSEPH A., METZGER, WILLIAM I., AND GARNES, ARTHUR L. Aureomycin as an adjunct in the treatment of major burns, 763

Z

ZIPERMAN, H. HASKELL. (*See* Shumacker and Ziperman), 124

ZUCKNER, J. (*See* Goldfarb and Zuckner), 137

# SUBJECT INDEX*

Book reviews are indicated by *(B. Rev.)*; editorials by *(E.)*.


A

Abdominal aorta or its branches, anomalous pulmonary blood supply from; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 616
aortic aneurysm, Cellophane wrapping of (Middleman and Drey), 890
support, simply constructed, for postural hypotension (Shumacker and Ziperman), 124
symptoms, acute, from bleeding ovary (Grise and Morton), 117
wall defect in presence of massive fecal contamination, successful use of tantalum mesh to repair (Crile and King), 914
Aberrant lung tissue above and below diaphragm; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 605, 609
pancreas of stomach, diagnostic morphology of (Benner), 170
Achalasia, esophageal (cardiospasm) (Johnston and Twente), 196
Acid, amino, tolerance in experimental portacaval anastomosis (Harper et al.), 210
hyaluronic, use of, for fixation of skin grafts (LeVeen et al.), 743
Adenoma and carcinoma, relationship between; histopathology of adenomatous polyps of colon and rectum (Bacon et al.), 663
Adrenal cortex and postoperative gastrointestinal secretions (Hardy), 517
Aerobacter aerogenes meningitis successfully treated with streptomycin (Helsper and Bonzer), 131
Aerosporin (polymixin B); invasive infection due to genus pseudomonas (Howe), 752
Alimentation, parenteral, prolongation of life by employment of (Nemir et al.), 508
Ambulatory venous pressure determinations in postphlebitic and related syndromes (DeCamp et al.), 44
studies in postphlebitic and other disease states (DeCamp et al.), 365
Amebiasis, cutaneous (Kreutzer), 149
Amino acid tolerance in experimental portacaval anastomosis (Harper et al.), 210
Anastomoses, vascular, growth of, with continuous posterior and interrupted anterior silk sutures (Johnson et al.), 721
Anastomosis, double jejunal lumen gastrojejunal, failure of, to protect against histamine-provoked ulcer (Van Geertruyden), 459
end-to-end, partial esophagectomy with (Kay and Brown), 658
experimental portacaval, amino acid tolerance in (Harper et al.), 210
Anatomic sketches photographed on translite film (Healy), 568
Anesthesia, changes in sympathectomized extremity with (Felder et al.), 803
Aneurysm, abdominal aortic, Cellophane wrapping for (Middleman and Drey), 890
Aneurysms, arteriosclerotic popliteal, method of dealing with (Janes and Ivins), 398
Animal, growing, method of producing coarctation of aorta in (Gerbode and Hultgren), 441
Annular pancreas (Conroy and Woelfel), 902
Anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 604
Anticoagulants, thromboembolic conditions and their treatment with, 802 *(B. Rev.)*
Anus and rectum, unusual lesions of (Hines and Riddler), 496
Aorta, abdominal, anomalous pulmonary blood supply from; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 616
coarctation of, in growing animal, method of producing (Gerbode and Hultgren), 441
descending thoracic, anomalous pulmonary blood supply from; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 609
and vena cava grafts, growth of (Johnson et al.), 726
Aortic aneurysm, abdominal Cellophane wrapping for (Middleman and Drey), 890
graft, frozen homologous, experimental studies of (Deterling et al.), 419
Apparatus, original drainage, for ileostomies and fistulas (Hurwitz), 463
Appendicitis, acute suppurative, with perforation resulting from metastatic carcinoma (Goldfarb and Zuckner), 137
Appendix, persistent vitelline duct continuous with (Singleton and King), 278


*January, pp. 1-162; February, pp. 163-322; March, pp. 323-482; April, pp. 483-642; May, pp. 643-802; June, pp. 803-970.

Army medicine, physician's professional status in (Bowers and Merchant), 602 *(E.)*
Arterial blood flow, to the liver, increased, effect on mortality rate following hemorrhagic shock (Hay and Webb), 826
pulmonary circulation; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 604
Arteries, carotid, both external, simultaneous tourniquet or temporary ligation of, for resection of malignant lesions in and about mouth (Sugarbaker and Wiley), 296
small collateral, histologic changes in: experimental arteriovenous fistula (Bosher et al.), 560
Arteriosclerotic popliteal aneurysms, method of dealing with (Janes and Ivins), 398
Arteriovenous fistula, experimental: histologic changes in small collateral arteries (Bosher et al.), 560
Artery, innominate, abnormal artery from, to hilum of right lung; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 625
major, question of ligation of concomitant vein when interrupted (Simeone et al.), 932
pulmonary, stenosis of, technique for producing (Hufnagel et al.), 77
right subclavian, anomalous pulmonary blood supply from; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 625
Arthrokatadysis (Otto pelvis) (Scandalis et al.), 255
Ascending colon, solitary diverticulum of (Bosworth and Landau), 523
Aspiration, intratracheal, use of new tracheal tube in management of, and advantages of tracheotomy (Arhelger), 260
Atelectasis of newborn infant, surgical approach to (Berglund and Eder), 127
Aureomycin as adjunct in treatment of major burns (Wright et al.), 763
invasive infection due to genus pseudomonas (Howe), 751
Autonomic nervous system, relation of, to gastric secretion with reference to sympathetic nerves (Shafer and Kittle), 1

B

Bacitracin; invasive infection due to genus pseudomonas (Howe), 751
Benign tumor of small intestine, unexplained gastrointestinal bleeding due to (Kahn and Hollenberg), 477
tumors of esophagus (Garlick and Stegmaier), 109
Benzodioxane; pheochromocytoma (Craig and Schilling), 599
Biceps tendons, tenodesis of (Michele and Krueger), 555
Bilateral mastectomy, argument for (Pack), 929 *(E.)*
Bile duct, common hepatic, at hilus, experimental method of repairing strictures involving (Scheibe), 842
Bleeding ovary, acute abdominal symptoms from (Grise and Morton), 117
unexplained gastrointestinal, due to benign tumor of small intestine (Kahn and Hollenberg), 477
Blood flow, increased arterial, to liver, effect of on mortality rate following hemorrhagic shock (Hay and Webb), 826
supply, anomalous pulmonary, from abdominal aorta or its branches; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 616
Book reviews, 802, 952
Books received, 321, 642
Breast lesion, extensive secondary axillary lymph node carcinoma without clinical evidence of (Weinberger and Stetten), 217
Bronchi, human, clinical physiology of (III) (Klassen et al.), 483
Bronchiogenic cyst, sarcoma arising in (Behrend and Kravitz), 142
Burns, major, aureomycin as adjunct in treatment of (Wright et al.), 763
severe extensive, newer concepts in treatment of (Blocker), 154

C

Caliber, bronchial, cough reflex, and clearance of bronchial secretions, effect of vagus section on; clinical physiology of human bronchi (III) (Klassen et al.), 483
Cancer of stomach, prolapsing gastric mucosa through gastrojejunostomy simulating (Maisel and Weintraub), 777
Carcinoid tumor; unusual lesions of rectum and anus (Hines and Riddler), 498
tumors of rectum (Shepard et al.), 205
Carcinoma and adenoma, relationship between; histopathology of adenomatous polyps of colon and rectum (Bacon et al.), 663
extensive secondary axillary lymph node, without evidence of primary breast lesion (Weinberger and Stetten), 217
of gum (Mattick and Meehan), 249
metastatic, acute suppurative appendicitis with perforation resulting from (Goldfarb and Zuckner), 137
squamous-cell; unusual lesions of rectum and anus (Hines and Riddler), 497

Carcinoma—Cont'd
thyroid, problem of (Perloff and Schneeberg), 572
Cardiac massage in operating room deaths (Nelson et al.), 452
tamponade, acute (Kaunitz and MacCallum), 293
Cardiospasm (esophageal achalasia) (Johnston and Twente), 196
Carotid arteries, both external, simultaneous tourniquet or temporary ligation of, for resection of malignant lesions in and about mouth (Sugarbaker and Wiley), 296
Cellophane wrapping of abdominal aortic aneurysm (Middleman and Drey), 890
Cellulitis and phlebitis, differentiation of; ambulatory venous pressure studies in postphlebitic and other disease states (DeCamp et al.), 378
Cervical, esophageal, and pharyngeal defects, use of polyethylene film and split-thickness skin graft in reconstruction of (Klopp et al.), 231
intervertebral disc, herniations of, and scalenotomy (Shenkin and Groff), 540
Chemotherapy (definitive treatment); acute parotitis (Gustafson), 798
Chest wall, defect of, use of tantalum gauze in closure of (Morrow), 288
Children, under two years of age, intussusception in (Kahle), 182
Chloromycetin (chloramphenicol); invasive infection due to genus pseudomonas (Howe), 751
Cholecystectomy, simple, safe method of (Sneierson), 781
Circulation, arterial pulmonary; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 604
of extremities, effect of vasodilator drugs on (Elkin and Cooper), 323
venous, in lower extremities following femoral vein interruption (O'Keeffe et al.), 267
Clearance of bronchial secretions, cough reflex, and bronchial caliber, effect of vagus section on; clinical physiology of human bronchi (III) (Klassen et al.), 483
Coarctation of aorta in growing animal, method of producing (Gerbode and Hultgren), 441
Colitis, idiopathic ulcerative, and regional enteritis, late results of vagotomy in treatment of (Eddy), 11
Collateral arteries, small, histologic changes in: experimental arteriovenous fistula (Bosher et al.), 560
Colon, ascending, solitary diverticulum of (Bosworth and Landau), 523
management of familial polyposis of (Anschuetz), 532
Colon—Cont'd
rectosigmoid, traumatic perforation of (Parnes and Fracchia), 475
and rectum, histopathology of adenomatous polyps of (Bacon et al.), 663
perforating injuries of, management of, in civilian practice (Woodhall and Ochsner), 305
Common hepatic bile duct at hilus, experimental method of repairing strictures involving (Scheibe), 842
Concomitant vein, question of ligation of, when major artery is interrupted (Simeone et al.), 932
Contamination, massive fecal, successful use of tantalum mesh to repair abdominal wall defect in presence of (Crile and King), 914
Cortex, adrenal, and postoperative gastrointestinal secretions (Hardy), 517
Cough reflex, bronchial caliber, and clearance of bronchial secretions, effect of vagus section on; clinical physiology of human bronchi (III) (Klassen et al.), 483
Cutaneous amebiasis (Kreutzer), 149
Cyst, bronchiogenic, sarcoma arising in (Behrend and Kravitz), 142
Cystadenoma lymphomatosum, papillary, of parotid gland (Holmberg and Glover), 240
Cystic duct stump syndrome (Garlock and Hurwitt), 833

D

Deaths, operating room, cardiac massage in (Nelson et al.), 452
Defect, abdominal wall, in presence of massive fecal contamination, successful use of tantalum mesh to repair (Crile and King), 914
in chest wall, use of tantalum gauze in closure of (Morrow), 288
Defects, cervical, esophageal, and pharyngeal, use of polyethylene film and split-thickness skin graft in reconstruction of (Klopp et al.), 231
Diagnosis in acute pancreatitis, with reference to its frequency, difficulties in (Grollman et al.), 163
Diaphragm, aberrant lung tissue above and below; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 605, 609
Disc, intervertebral cervical, herniations of, and scalenotomy (Shenkin and Groff), 540
Disease, Hodgkin's; vertebral manifestations of malignant lymphoma, myeloid leucemia, and multiple myeloma (Mazet), 548
Raynaud's (Blain et al.), 387
states, postphlebitic and other, ambulatory venous pressure studies in (DeCamp et al.), 365

Disease—Cont'd
thromboembolic, experiences with ligation and heparin in (Ravdin and Kirby), 334
Dislocation, shoulder, recurrent, Putti-Platt reconstruction operation for (Brav and Gulledge), 82
Diverticulum of lower thoracic esophagus, massive hemorrhage as first manifestation of (Witter and Lookanoff), 895
solitary, of ascending colon (Bosworth and Landau), 523
Doctors, training of, and mobilization (Shumacker), 480 *(E.)*
Drainage apparatus, original, for ileostomies and fistulas (Hurwitz), 463
Drugs, vasodilator, effect of, on circulation of extremities (Elkin and Cooper), 323
Duct, common hepatic bile, at hilus, experimental method of repairing strictures involving (Scheibe), 842
cystic, stump syndrome (Garlock and Hurwitt), 833
persistent vitelline, continuous with appendix (Singleton and King), 278
Ductus arteriosus, patent: recurrence following ligation (Davis et al.), 714
Duodenal ulcer, proper evaluation of mortality statistics following partial gastrectomy for (Lewisohn), 303 *(E.)*
Duodenum, leiomyosarcoma of, case report of (Swartz and Eckman), 581

E

Edema, apparently spontaneous, and lower leg syndrome; ambulatory venous pressure studies in postphlebitic and other disease states (DeCamp et al.), 374
division of popliteal vein in deep venous insufficiency of lower extremities (de Takats and Graupner), 342
Editorial, 303, 480, 602, 929
Embolism, pulmonary, appraisal of bilateral superficial femoral vein ligation in preventing (Erb and Schumann), 819
fatal; experience with ligation and heparin in thromboembolic disease (Ravdin and Kirby), 336
Embryology; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 632
Endamoeba histolytica; cutaneous amebiasis (Kreutzer), 149
Enteritis, regional, and idiopathic ulcerative colitis, late results of vagotomy in treatment of (Eddy), 11
Esophageal achalasia (cardiospasm) (Johnston and Twente), 196
pharyngeal, and cervical defects, use of polyethylene film and split-thickness skin graft in reconstruction of (Klopp et al.), 231
Esophagectomy, partial, with end-to-end anastomosis (Kay and Brown), 658
Esophagus, benign tumors of (Garlick and Stegmaier), 109
leiomyosarcoma of (Lyons and Garlock), 281
lower thoracic, massive hemorrhage as first manifestation of diverticulum of (Witter and Lookanoff), 985
spontaneous rupture of (Dunavant and Skinner), 527
Ethyl carbamate (urethane); invasive infection due to genus pseudomonas (Howe), 753
Excision, local, treatment of tuberculosis of sternum by (Oliver and Key), 587
Extremities, effect of vasodilator drugs on circulation of (Elkin and Cooper), 323
lower, acute massive venous occlusion of (Veal et al.), 355
division of popliteal vein in deep venous insufficiency of (de Takats and Graupner), 342
venous circulation in, following femoral vein interruption (O'Keeffe et al.), 267
Extremity, sympathectomized, changes in, with anesthesia (Felder et al.), 803

F

Familial polyposis of colon, management of (Anschuetz), 532
Fascias, autogenous, and iliopsoas muscle, use of, in repair of certain inguinal and femoral hernias (Burton), 858
Fecal contamination, massive, successful use of tantalum mesh to repair abdominal wall defect in presence of (Crile and King), 914
Femoral and inguinal hernias, certain, use of iliopsoas muscle and autogenous fascias in repair of (Burton), 858
vein interruption, venous circulation in lower extremities following (O'Keeffe et al.), 267
ligation, bilateral superficial, appraisal of, in preventing pulmonary embolism (Erb and Schumann), 819
Femur, treatment of fractures of, with heavy, large cored, three-flanged medullary nail (Lottes), 868
Fibrosarcoma; unusual lesions of rectum and anus (Hines and Riddler), 496
Fibrosis, subcutaneous, surgical treatment of varicose veins associated with (Migliaccio and Ricci), 811
Film, polyethylene, and split-thickness skin graft, use of, in reconstruction of cervical, esophageal, and pharyngeal defects (Klopp et al.), 231
translite, anatomic sketches photographed on (Healy), 568

Fistula, experimental arteriovenous: histologic changes in small collateral arteries (Bosher et al.), 560
Fistulas and ileostomies, original drainage apparatus for (Hurwitz), 463
Fixation of skin grafts, use of hyaluronic acid for (LeVeen et al.), 743
Flow, increased arterial blood, to liver, effect of on mortality rate following hemorrhagic shock (Hay and Webb), 826
intestinal lymph, following simple intestinal obstruction in rat (Balfour et al.), 500
Foot, plantar surface of, melanocarcinoma of (Decker and Chamness), 731
synovioma of (Bowman), 145
Fracture, application of procedure; appraisal of bilateral superficial femoral vein ligation in preventing pulmonary embolism (Erb and Schumann), 819
Fractures of femur, treatment of, with heavy, large cored, three-flanged medullary nail (Lottes), 868
pathologic, theoretical hazards in treatment of, by Kuntscher intramedullary nail (Peltier), 466

G

Gastrectomy, partial, for duodenal ulcer, proper evaluation of mortality statistics following (Lewisohn), 303 *(E.)*
subtotal, acute pancreatitis and pancreatic injuries following (Warren), 643
Gastric mucosa, prolapsing through gastrojejunostomy, simulating cancer of stomach (Maisel and Weintraub), 777;
secretion, relation of autonomic nervous system to, with reference to sympathetic nerves (Shafer and Kittle), 1
Gastrointestinal bleeding, unexplained, due to benign tumor of small intestine (Kahn and Hollenberg), 477
secretions, postoperative, and adrenal cortex (Hardy), 517
Gastrojejunal anastomosis, double jejunal lumen, failure of, to protect against histamine-provoked ulcer (Van Geertruyden), 459
Gastrojejunostomy, prolapsing gastric mucosa through, simulating cancer of stomach (Maisel and Weintraub), 777
Gauze, tantalum, use of, in closure of defect in chest wall (Morrow), 288
Genus pseudomonas, invasive infection due to (Howe), 748
Gland, parotid, papillary cystadenoma lymphomatosum of (Holmberg and Glover), 240
Graft, frozen homologous aortic, experimental studies of (Deterling et al.), 419
skin, for prolapse of ileostomy (Crile and Thomas), 473
Graft—Cont'd
split-thickness skin, and polyethylene film, use of, in reconstruction of cervical, esophageal, and pharyngeal defects (Klopp et al.), 231
Grafts, skin, use of hyaluronic acid for fixation of (LeVeen et al.), 743
vena cava and aorta, growth of (Johnson et al.), 726
Growth, relation of factor of, to pathogenesis of megacolon, megaileum, and megaduodenum (Fawcett), 491
Gum, carcinoma of (Mattick and Meehan), 249

H

Hamartoma of liver (Bartlett and Shellito), 593
Heart and lungs, pump-oxygenator to supplant, for brief periods (I) (Karlson et al.), 678; (II) (Dennis et al.), 697
Hematoma of thoracic wall, and osteogenic sarcoma arising in traumatic hemothorax (Stauss), 917
Hemorrhage, massive, as first manifestation of diverticulum of lower thoracic esophagus (Witter and Lookanoff), 895
Hemorrhagic shock, effect of increased arterial blood flow to liver on mortality rate following (Hay and Webb), 826
of intravenous sodium dehydrocholate on mortality rate following (Hay), 829
Hemothorax, traumatic, osteogenic sarcoma arising in, and hematoma of thoracic wall (Stauss), 917
Heparin and ligation in thromboembolic disease, experiences with (Ravdin and Kirby), 334
Hepatic bile duct, common, at hilus, experimental method of repairing strictures involving (Scheibe), 842
Hernias, certain inguinal and femoral, use of iliopsoas muscle and autogenous fascias in repair of (Burton), 858
pararectus incisional, repair of, by posterior transposition of anterior rectus sheath (Kleinsasser), 97
Herniations of cervical intervertebral disc and scalenotomy (Shenkin and Groff), 540
Hilum of right lung, abnormal artery from innominate artery to; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 625
Hilus, experimental method of repairing strictures involving common hepatic bile duct at (Scheibe), 842

Histamine-provoked ulcer, failure of double jejunal lumen gastrojejunal anastomosis to protect against (Van Geertruyden), 459
Histologic changes in small collateral arteries: experimental arteriovenous fistula (Bosher et al.), 560
Histopathology of adenomatous polyps of colon and rectum (Bacon et al.), 663
Hodgkin's disease; vertebral manifestations of malignant lymphoma, myeloid leucemia, and multiple myeloma (Mazet), 548
Homograft, use of, in surgical treatment of large omphaloceles (Welch), 100
Horizon in surgery (Gerbode), 153 *(E.)*
Hyaluronic acid, use of, for fixation of skin grafts (LeVeen et al.), 743
Hypersplenism, secondary, surgical management of (Lord), 407
Hypertensive vascular disease associated with Raynaud's disease (Blain et al.), 393
Hypotension, postural, simply constructed abdominal support for (Shumacker and Ziperman), 124

I

Idiopathic ulcerative colitis and regional enteritis, late results of vagotomy in treatment of (Eddy), 11
Ileostomies and fistulas, original drainage apparatus for (Hurwitz), 463
Ileostomy, prolapse of, skin graft for (Crile and Thomas), 473
Iliopsoas muscle and autogenous fascias, use of, in repair of certain inguinal and femoral hernias (Burton), 858
Induration; division of popliteal vein in deep venous insufficiency of lower extremities (de Takats and Graupner), 343
Infant, newborn, surgical approach to atelectasis of (Berglund and Eder), 127
Infarction, pulmonary, nonfatal; experiences with ligation and heparin in thromboembolic disease (Ravdin and Kirby), 334
Infection, hematogenous, and ascending, of Stensen's duct; acute parotitis (Gustafson), 788
invasive, due to genus pseudomonas (Howe), 748
Inguinal and femoral hernias, certain, use of iliopsoas muscle and autogenous fascias in repair of (Burton), 858
Injuries, pancreatic, and acute pancreatitis following subtotal gastrectomy (Warren), 643
perforating, of colon and rectum, management of, in civilian practice (Woodhall and Ochsner), 305
Injury, occult, to pancreas following splenectomy (Baronofsky et al.), 852
Innominate artery, abnormal artery from, to hilum of right lung; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 625
Insufficiency, deep venous, of lower extremities, division of popliteal vein in (de Takats and Graupner), 342
Interruption, femoral vein, venous circulation in lower extremities following (O'Keeffe et al.), 267
Intervertebral disc, cervical, herniations of, and scalenotomy (Shenkin and Groff), 540
Intestinal obstruction, simple, in rat, intestinal lymph flow following Balfour et al.), 500
Intestine, small, benign tumor of, unexplained gastrointestinal bleeding due to, (Kahn and Hollenberg), 477
Intestines, small and large, multiple polyposis of, with multiple intussusception (Jensen), 772
Intramedullary nail, Kuntscher, theoretical hazards in treatment of pathologic fractures by (Peltier), 466
Intratracheal aspiration, use of new tracheal tube in management of, and advantages of tracheotomy (Arhelger), 260
Intravenous sodium dehydrocholate, effect of, on mortality rate following hemorrhagic shock (Hay), 829
Intussusception in children under two years of age (Kahle), 182
multiple, with multiple polyposis of small and large intestines (Jensen), 772

J

Jejunal lumen, double, gastrojejunal anastomosis, failure of, to protect against histamine-provoked ulcer (Van Geertruyden), 459

K

Kappa Delta award for research in orthopaedic surgery, 952
Kuntscher intramedullary nail, theoretical hazards in treatment of pathologic fractures by (Peltier), 466

L

Leg, lower, syndrome, posttraumatic; ambulatory venous pressure studies in postphlebitic and other disease states (DeCamp et al.), 372
Leiomyoma, case of; benign tumors of esophagus (Garlick and Stegmaier), 109
Leiomyosarcoma of duodenum, case report of (Swartz and Eckman), 581
of esophagus (Lyons and Garlock), 281
unusual lesions of rectum and anus (Hines and Riddler), 497
Lesion, breast, extensive secondary axillary lymph node carcinoma without clinical evidence of (Weinberger and Stetten), 217

Lesions, malignant, in and about mouth, simultaneous tourniquet or temporary ligation of both external carotid arteries for resection of (Sugarbaker and Wiley), 296
unusual, of rectum and anus (Hines and Riddler), 496
Leucemia, myeloid, multiple myeloma, and malignant lymphoma, vertebral manifestations of (Mazet), 545
Ligation, bilateral superficial femoral vein, appraisal of, in preventing pulmonary embolism (Erb and Schumann), 819
of concomitant vein when major artery is interrupted, question of (Simeone et al.), 932
and heparin in thromboembolic disease, experiences with (Ravdin and Kirby), 334
patent ductus arteriosus, recurrence following (Davis et al.), 714
simultaneous tourniquet or temporary, of both external carotid arteries for resection of malignant lesions in and about mouth (Sugarbaker and Wiley), 296
Liver, hamartoma of (Bartlett and Shellito), 593
increased arterial blood flow to, effect of on mortality rate following hemorrhagic shock (Hay and Webb), 826
Local excision, treatment of tuberculosis of sternum by (Oliver and Key), 587
Lumen, double jejunal, gastrojejunal anastomosis, failure of, to protect against histamine-provoked ulcer (Van Geertruyden), 459
Lung, right, hilum of, abnormal artery from innominate artery to; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 625
Lungs and heart, pump-oxygenator to supplant, for brief periods (I) (Karlson et al.), 678; (II) (Dennis et al.), 697
hila of; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 625
Lymph flow, intestinal, following simple intestinal obstruction in rat (Balfour et al.), 500
node carcinoma, extensive secondary axillary, without clinical evidence of primary breast lesion (Weinberger and Stetten), 217
metastases, regional, problem of; melanocarcinoma of plantar surface of foot (Decker and Chamness), 737
technique for sampling, in unanesthetized dogs by means of exteriorized thoracic duct-venous shunt (Brown and Hardenbergh), 502
Lymphoma, malignant, myeloid leucemia, and multiple myeloma, vertebral manifestations of (Mazet), 545
Lymphomatosum, papillary cystadenoma, of parotid gland (Holmberg and Glover), 240
Lymphosarcoma, report of case of; primary malignant tumors of spleen (Gordon and Paley), 907

M

Malignant lymphoma, myeloid leucemia, and multiple myeloma, vertebral manifestations of (Mazet), 545
melanoma; unusual lesions of rectum and anus (Hines and Riddler), 497
tumors, primary, of spleen (Gordon and Paley), 907
Manifestations, vertebral, of malignant lymphoma, myeloid leucemia, and multiple myeloma (Mazet), 545
Massage, cardiac, in operating room deaths (Nelson et al.), 452
Mastectomy, bilateral, argument for (Pack), 929 *(E.)*
Mediastinum, anterior, transsternal approach for exposure of (Muller), 885
Medicine, Army, physician's professional status in (Bowers and Merchant), 602 *(E.)*
Medullary nail, heavy, large cored, three-flanged, treatment of fractures of femur with (Lottes), 868
Megacolon, megaileum, and megaduodenum, relation of factor of growth to pathogenesis of (Fawcett), 491
Melanocarcinoma of plantar surface of foot (Decker and Chamness), 731
Melanoma, malignant, in Negro (Morris and Horn), 223
malignant; unusual lesions of rectum and anus (Hines and Riddler), 497
Meningitis, aerobacter aerogenes, successfully treated with streptomycin (Helsper and Bonzer), 131
Mesh, tantalum, successful use of, to repair abdominal wall defect in presence of massive fecal contamination (Crile and King), 914
Metastases, lymph node, regional, problem of; melanocarcinoma of plantar surface of foot (Decker and Chamness), 737
Metastatic carcinoma, acute suppurative appendicitis with perforation resulting from (Goldfarb and Zuckner), 137
Mobilization and training of doctors (Shumacker), 480 *(E.)*
Morphology, diagnostic, of aberrant pancreas of stomach (Benner), 170
Mortality rate following hemorrhagic shock, effect of increased arterial blood flow to liver on (Hay and Webb), 826
effect of intravenous sodium dehydrocholate on (Hay), 829

Mouth, malignant lesions in and about, simultaneous tourniquet or temporary ligation of both external carotid arteries for resection of (Sugarbaker and Wiley), 296
Mucosa, prolapsing gastric, through gastrojejunostomy simulating cancer of stomach (Maisel and Weintraub), 777
Multiple myeloma, malignant lymphoma, and myeloid leucemia, vertebral manifestations of (Mazet), 545
Muscle, iliopsoas, and autogenous fascias, use of, in repair of certain inguinal and femoral hernias (Burton), 858
Myeloma, multiple, malignant lymphoma, and myeloid leucemia, vertebral manifestations of (Mazet), 545

N

Nail, heavy, large cored, three-flanged medullary, treatment of fractures of femur with (Lottes), 868
Kuntscher intramedullary, theoretical hazards in treatment of pathologic fractures by (Peltier), 466
Negro, malignant melanoma in (Morris and Horn), 223
Nerves, sympathetic, relation of autonomic nervous system to gastric secretion with reference to (Shafer and Kittle), 1
Nervous system, autonomic, relation of, to gastric secretion with reference to sympathetic nerves (Shafer and Kittle), 1
Node, lymph, carcinoma, extensive secondary axillary, without clinical evidence of primary breast lesion (Weinberger and Stetten), 217

O

Obstetric difficulties, management of (Titus), 952 *(B. Rev.)*
Obstruction, simple intestinal, in rat, intestinal lymph flow following (Balfour et al.), 500
Occlusion, acute massive venous, of lower extremities (Veal et al.), 355
Occult injury to pancreas following splenectomy (Baronofsky et al.), 852
Omphaloceles, large, use of homograft in surgical treatment of (Welch), 100
Operation, Putti-Platt reconstruction, for recurrent shoulder dislocation (Brav and Gulledge), 82
Orthopaedic surgery, Kappa Delta award for research in, 952
Osteogenic sarcoma arising in traumatic hemothorax and hematoma of thoracic wall (Stauss), 917
Otto pelvis (arthrokatadysis) (Scandalis et al.), 255
Ovary, bleeding, acute abdominal symptoms from (Grise and Morton), 117
Oxygenating component; pump-oxygenator to supplant heart and lungs for brief periods (II) (Dennis et al.), 699
Oxygenation, experimental evaluations of methods of; pump-oxygenator to supplant heart and lungs for brief periods (I) (Karlson et al.), 683
Oxygenator, pump, to supplant heart and lungs for brief periods (I) (Karlson et al.), 678; (II) (Dennis et al.), 697

P

Pain of bronchial origin; clinical physiology of human bronchi (III) (Klassen et al.), 484
Pancreas, aberrant, of stomach, diagnostic morphology of (Benner), 170
annular (Conroy and Woelfel), 902
occult injury to, following splenectomy (Baronofsky et al.), 852
Pancreatitis, acute, and pancreatic injuries following subtotal gastrectomy (Warren), 643
with reference to its frequency and difficulties in diagnosis (Grollman et al.), 163
Papillary cystadenoma lymphomatosum of parotid gland (Holmberg and Glover), 240
Pararectus incisional hernias, repair of, by posterior transposition of anterior rectus sheath (Kleinsasser), 97
Parenteral alimentation, prolongation of life by employment of (Nemir et al.), 508
Parotid gland, papillary cystadenoma lymphomatosum of (Holmberg and Glover), 240
Parotitis, acute (Gustafson), 786
Patent ductus arteriosus: recurrence following ligation (Davis et al.), 714
Pathogenesis of megacolon, megaileum, and megaduodenum, relation of factor of growth to (Fawcett), 491
Pathologic fractures, theoretical hazards in treatment of, by Kuntscher intramedullary nail (Peltier), 466
Patient, mentally ill, new surgical procedure for complete rectal prolapse in (Stabins), 105
Pelvis, Otto (arthrokatadysis) (Scandalis et al.), 255
Peptic ulcer (Ivy et al.), 162 *(B. Rev.)*
Perforation resulting from metastatic carcinoma, with acute suppurative appendicitis (Goldfarb and Zuckner), 137
traumatic, of rectosigmoid colon (Parnes and Fracchia), 475
Pericarditis, constructive, report of case in which this incision was employed; transsternal approach for exposure of anterior mediastinum (Muller), 885
Pharyngeal, cervical, and esophageal defects, use of polyethylene film and split-thickness skin graft in reconstruction of (Klopp et al.), 231

Pheochromocytoma (Craig and Schilling), 596
Phlebitis and cellulitis, differentiation of; ambulatory venous pressure studies in postphlebitic and other disease states (DeCamp et al.), 378
Phlebothrombosis and thrombophlebitis; experiences with ligation and heparin in thromboembolic disease (Ravdin and Kirby), 334
venous thrombosis (Ochsner et al.), 24
Physician's professional status in Army medicine (Bowers and Merchant), 602 *(E.)*
Physiology, clinical, of human bronchi (III) (Klassen et al.), 483
Pituitary region, simplified approach to, by one and one-half inch trephine (Scoville and McLaurin), 136
Plantar surface of foot, melanocarcinoma of (Decker and Chamness), 731
Polyethylene film and split-thickness skin graft, use of, in reconstruction of cervical, esophageal, and pharyngeal defects (Klopp et al.), 231
Polymixin B (aerosporin); invasive infection due to genus pseudomonas (Howe), 752
Polyposis, familial, of colon, management of (Anschuetz), 532
multiple, of small and large intestines, with multiple intussusception (Jensen), 772
Polyps, adenomatous, of colon and rectum, histopathology of (Bacon et al.), 663
Popliteal aneurysms, arteriosclerotic, method of dealing with (Janes and Ivins), 398
vein, division of, in deep venous insufficiency of lower extremities (de Takats and Graupner), 342
Portacaval anastomosis, experimental, amino acid tolerance in (Harper et al.), 210
Postphlebitic and other disease states, ambulatory venous pressure studies in (DeCamp et al.), 365
and related syndromes, ambulatory venous pressure determinations in (DeCamp et al.), 44
Posttraumatic lower leg syndrome; ambulatory venous pressure studies in postphlebitic and other disease states (DeCamp et al.), 372
Postural hypotension, simply constructed abdominal support for (Shumacker and Ziperman), 124
Practice, civilian, management of perforating injuries of colon and rectum in (Woodhall and Ochsner), 305
Pressure determinations, ambulatory venous, in postphlebitic and related syndromes (DeCamp et al.), 44
studies, ambulatory venous, in postphlebitic and other disease states (DeCamp et al.), 365
Primary malignant tumors of spleen (Gordon and Paley), 907
Procedure, new surgical, for complete rectal prolapse in mentally ill patient (Stabins), 105
Professional status, physician's, in Army medicine (Bowers and Merchant), 602 *(E.)*
Prolapse, complete rectal, in mentally ill patient, new surgical procedure for (Stabins), 105
of ileostomy, skin graft for (Crile and Thomas), 473
Prolapsing gastric mucosa through gastrojejunostomy simulating cancer of stomach (Maisel and Weintraub), 777
Prolongation of life by employment of parenteral alimentation (Nemir et al.), 508
Pseudomonas, genus, invasive infection due to (Howe), 748
Pulmonary artery stenosis, technique for producing (Hufnagel et al.), 77
blood supply, anomalous, from abdominal aorta; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 616
circulation, arterial; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 604
embolism, appraisal of bilateral superficial femoral vein ligation in preventing (Erb and Schumann), 819
fatal; experiences with ligation and heparin in thromboembolic disease (Ravdin and Kirby), 336
veins; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 630
Pump-oxygenator to supplant heart and lungs for brief periods (I) (Karlson et al.), 678; (II) (Dennis et al.), 697
Putti-Platt reconstruction operation for recurrent shoulder dislocation (Brav and Gulledge), 82

R

Radium (definitive treatment); acute parotitis (Gustafson), 796
Raynaud's disease (Blain et al.), 387
Reconstruction operation, Putti-Platt, for recurrent shoulder dislocation (Brav and Gulledge), 82
Rectal prolapse, complete, in mentally ill patient, new surgical procedure for (Stabins), 105
Rectosigmoid colon, traumatic perforation of (Parnes and Fracchia), 475
Rectum and anus, unusual lesions of (Hines and Riddler), 496
carcinoid tumors of (Shepard et al.), 205
and colon, histopathology of adenomatous polyps of (Bacon et al.), 663

Rectum and Colon—Cont'd
management of perforating injuries of, in civilian practice (Woodhall and Ochsner), 305
Rectus sheath, anterior, repair of pararectus incisional hernias by posterior transposition of (Kleinsasser), 97
Recurrence of patent ductus arteriosus following ligation (Davis et al.), 714
Reflex, cough, bronchial caliber, and clearance of bronchial secretions, effect of vagus section on; clinical physiology of human bronchi (III) (Klassen et al.), 483
Resection of malignant lesions in and about mouth, simultaneous tourniquet or temporary ligation of both external carotid arteries for (Sugarbaker and Wiley), 296
Rupture, spontaneous, of esophagus (Dunavant and Skinner), 527

S

Sarcoma arising in bronchiogenic cyst (Behrend and Kravitz), 142
osteogenic, arising in traumatic hemothorax, and hematoma of thoracic wall (Stauss), 917
Scalenotomy and herniations of cervical intervertebral disc (Shenkin and Groff), 540
Secretion, gastric, relation of autonomic nervous system to, with reference to sympathetic nerves (Shafer and Kittle), 1
Secretions, bronchial, clearance of, cough reflex, and bronchial caliber, effect of vagus section on; clinical physiology of human bronchi (III) (Klassen et al.), 483
postoperative gastrointestinal, and adrenal cortex (Hardy), 517
Section, vagus, effect of, on cough reflex, bronchial caliber, and clearance of bronchial secretions; clinical physiology of human bronchi (III) (Klassen et al.), 483
Sheath, anterior rectus, repair of pararectus incisional hernias by posterior transposition of (Kleinsasser), 97
Shock, hemorrhagic, effect of increased arterial blood flow to liver on mortality rate following (Hay and Webb), 826
effect of intravenous sodium dehydrocholate on mortality rate following (Hay), 829
Shoulder dislocation, recurrent, Putti-Platt reconstruction operation for (Brav and Gulledge), 82
Shunt, thoracic duct-venous, exteriorized, technique for sampling lymph in unanesthetized dogs by means of (Brown and Hardenbergh), 502
Sketches, anatomic, photographed on translite film (Healy), 568
Skin graft for prolapse of ileostomy (Crile and Thomas), 473
split-thickness, and polyethylene film, use of, in reconstruction of cervical, esophageal, and pharyngeal defects (Klopp et al.), 231
grafts, use of hyaluronic acid for fixation of (LeVeen et al.), 743
Sodium dehydrocholate, intravenous, following hemorrhagic shock, effect of on mortality rate (Hay), 829
Spleen, primary malignant tumors of (Gordon and Paley), 907
Splenectomy, occult injury to pancreas following (Baronofsky et al.), 852
Spontaneous rupture of esophagus (Dunavant and Skinner), 527
Squamous-cell carcinoma; unusual lesions of rectum and anus (Hines and Riddler), 497
Statistics, mortality, proper evaluation of, following partial gastrectomy for duodenal ulcer (Lewisohn), 303 *(E.)*
Status, physician's professional, in Army medicine (Bowers and Merchant), 602 *(E.)*
Stenosis, pulmonary artery, technique for producing (Hufnagel et al.), 77
Sternum, tuberculosis of, treatment of, by local excision (Oliver and Key), 587
Stomach, diagnostic morphology of aberrant pancreas of (Benner), 170
prolapsing gastric mucosa through gastrojejunostomy simulating cancer of (Maisel and Weintraub), 777
Streptomycin, aerobacter aerogenes meningitis successfully treated with (Helsper and Bonzer), 131
invasive infection due to genus pseudomonas (Howe), 750
Strictures involving common hepatic bile duct at hilus, experimental methods of repairing (Scheibe), 842
Stripper, flexible, treatment of varicose veins with (Emerson and Muller), 71
new vein, and technique of stripping (Kutz and Hendricks), 271
vein, simplified (Webb), 276
Stripping, technique of, and new vein stripper (Kutz and Hendricks), 271
Subclavian artery, right, anomalous pulmonary blood supply from; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 625
Subcutaneous fibrosis, surgical treatment of varicose veins associated with (Migliaccio and Ricci), 811
Subtotal gastrectomy, acute pancreatitis and pancreatic injuries following (Warren), 643

Sulfamylon (marfanil, mesudin, homosulfanilamide); invasive infection due to genus pseudomonas (Howe), 754
Support, abdominal, simply constructed, for postural hypotension (Shumacker and Ziperman), 124
Surgery (definitive treatment); acute parotitis (Gustafson), 795
horizon in (Gerbode), 153 *(E.)*
Surgical management of secondary hypersplenism (Lord), 407
significance of anomalies of pulmonary vessels (Findlay and Maier), 604
Sutures, continuous posterior and interrupted anterior silk, growth of vascular anastomoses with (Johnson et al.), 721
Sympathectomized extremity, changes in, with anesthesia (Felder et al.), 803
Sympathectomy, prognosis following; Raynaud's disease (Blain et al.), 391
Sympathetic nerves, relation of autonomic nervous system to gastric secretion with reference to (Shafer and Kittle), 1
Symptoms, acute abdominal, from bleeding ovary (Grise and Morton), 117
Syndrome, cystic duct stump (Garlock and Hurwitt), 833
posttraumatic lower leg; ambulatory venous pressure studies in postphlebitic and other disease states (DeCamp et al.), 372
Raynaud's (Raynaud's disease) (Blain et al.), 387
Syndromes, postphlebitic and related, ambulatory venous pressure determinations in (DeCamp et al.), 44
Synovioma of foot (Bowman), 145

T

Tamponade, acute cardiac (Kaunitz and MacCallum), 293
Tantalum gauze, use of, in closure of defect in chest wall (Morrow), 288
mesh, successful use of, to repair abdominal wall defect in presence of massive fecal contamination (Crile and King), 914
Technique of stripping and new vein stripper (Kutz and Hendricks), 271
Tendons, biceps, tenodesis of (Michele and Krueger), 555
Tenodesis of biceps tendons (Michele and Krueger), 555
Therapy, x-ray (definitive treatment); acute parotitis (Gustafson), 797
Thoracic aorta, descending, anomalous pulmonary blood supply from; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 609
duct-venous shunt, exteriorized, technique for sampling lymph in unanesthetized dogs by means of (Brown and Hardenbergh), 502
Thoracic—Cont'd
esophagus, lower, massive hemorrhage as first manifestation of diverticulum of (Witter and Lookanoff), 895
wall, hematoma of, and osteogenic sarcoma arising in traumatic hemothorax (Stauss), 917
Thromboembolic conditions and their treatment with anticoagulants, 802 *(B. Rev.)*
disease, experiences with ligation and heparin in (Ravdin and Kirby), 334
Thromboembolism; venous thrombosis (Ochsner et al.), 24
Thrombophlebitis and phlebothrombosis; experiences with ligation and heparin in thromboembolic disease (Ravdin and Kirby), 334
Thrombosis, venous (Ochsner et al.), 24
Thyroid carcinoma, problem of (Perloff and Schneeberg), 572
Tissue, aberrant lung, above and below diaphragm; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 605, 609
Tolerance, amino acid, in experimental portacaval anastomosis (Harper et al.), 210
Tracheal tube, new, use of, in management of intratracheal aspiration, and advantages of tracheotomy (Arhelger), 260
Training of doctors and mobilization (Shumacker), 480 *(E.)*
Translite film, anatomic sketches photographed on (Healy), 568
Transsternal approach for exposure of anterior mediastinum (Muller), 885
Traumatic hemathorax, osteogenic sarcoma arising in, and hematoma of thoracic wall (Stauss), 917
perforation of rectosigmoid colon (Parnes and Fracchia), 475
Treatment of major burns, aureomycin as adjunct in (Wright et al.), 763
of severe extensive burns, newer concepts in (Blocker), 154
surgical, of large omphaloceles, use of homograft in (Welch), 100
of varicose veins associated with subcutaneous fibrosis (Migliaccio and Ricci), 811
Trephine, one and one-half inch, simplified approach to pituitary region by (Scoville and McLaurin), 136
Tube, new tracheal, use of, in management of intratracheal aspiration, and advantages of tracheotomy (Arhelger), 260
Tuberculosis of sternum, treatment of, by local excision (Oliver and Key), 587
Tumor, benign, of small intestine, unexplained gastrointestinal bleeding due to (Kahn and Hollenberg), 477

Tumor—Cont'd
carcinoid; unusual lesions of rectum and anus (Hines and Riddler), 498
Tumors, benign, of esophagus (Garlick and Stegmaier), 109
carcinoid, of rectum (Shepard et al.), 205
primary malignant, of spleen (Gordon and Paley), 907

U

Ulcer, duodenal, partial gastrectomy for, proper evaluation of mortality statistics following (Lewisohn), 303 *(E.)*
histamine-provoked, failure of double jejunal lumen gastrojejunal anastomosis to protect against (Van Geertruyden), 459
peptic (Ivy et al.), 162 *(B. Rev.)*
Ulcerative idiopathic colitis and regional enteritis, late results of vagotomy in treatment of (Eddy), 11
Urethane (ethyl carbamate); invasive infection due to genus pseudomonas (Howe), 753

V

Vagotomy in treatment of idiopathic ulcerative colitis and regional enteritis, late results of (Eddy), 11
Vagus section, effect of, on cough reflex, bronchial caliber, and clearance of bronchial secretions; clinical physiology of human bronchi (III) (Klassen et al.), 483
Valves, deep vein (Luke), 381
Varicose veins associated with subcutaneous fibrosis, surgical treatment of (Migliaccio and Ricci), 811
primary, and deep venous system; ambulatory venous pressure studies in postphlebitic and other disease states (DeCamp et al.), 376
treatment of, with flexible stripper (Emerson and Muller), 71
Vascular anastomoses, growth of, with continuous posterior and interrupted anterior silk sutures (Johnson et al.), 721
disease, hypertensive, associated with Raynaud's disease (Blain et al.), 393
Vasodilator drugs, effect of, on circulation of extremities (Elkin and Cooper), 323
Vein, concomitant, question of ligation of, when major artery is interrupted (Simeone et al.), 932
femoral, interruption, venous circulation in lower extremities following (O'Keeffe et al.), 267
ligation, bilateral superficial femoral, appraisal of, in preventing pulmonary embolism (Erb and Schumann), 819
popliteal, division of, in deep venous insufficiency of lower extremities (de Takats and Graupner), 342
Vein—Cont'd
stripper, new, and technique of stripping (Kutz and Hendricks), 271
simplified (Webb), 276
valves, deep (Luke), 381
Veins, pulmonary; anomalies of pulmonary vessels and their surgical significance (Findlay and Maier), 630
varicose, associated with subcutaneous fibrosis, surgical treatment of (Migliaccio and Ricci), 811
primary, and deep venous system; ambulatory venous pressure studies in postphlebitic and other disease states (DeCamp et al.), 376
treatment of, with flexible stripper (Emerson and Muller), 71
Vena cava and aorta grafts, growth of (Johnson et al.), 726
Venous circulation in lower extremities following femoral vein interruption (O'Keeffe et al.), 267
insufficiency, deep, of lower extremities, division of popliteal vein in (de Takats and Graupner), 342
occlusion, acute massive, of lower extremities (Veal et al.), 355
pressure determinations, ambulatory, in postphlebitic and related syndromes (DeCamp et al.), 44
studies, ambulatory, in postphlebitic and other disease states (DeCamp et al.), 365
system, deep, and primary varicose veins; ambulatory venous pressure studies in postphlebitic and other disease states (DeCamp et al.), 376
-thoracic duct shunt, exteriorized, technique for sampling lymph in unanesthetized dogs by means of (Brown and Hardenbergh), 502
thrombosis (Ochsner et al.), 24
Vertebral manifestations of malignant lymphoma, myeloid leucemia, and multiple myeloma (Mazet), 545
Vessels, pulmonary, anomalies of, and their surgical significance (Findlay and Maier), 604
Vitelline duct, persistent, continuous with appendix (Singleton and King), 278

W

Wall, chest, defect of, use of tantalum gauze in closure of (Morrow), 288
defect, abdominal, successful use of tantalum mesh to repair, in presence of massive fecal contamination (Crile and King), 914
thoracic, hematoma of, and osteogenic sarcoma arising in traumatic hemothorax (Stauss), 917

X

X-ray therapy (definitive treatment); acute parotitis (Gustafson), 797